



HYGIENIC Enclosures

Increased Cleanliness & Time Savings



Why Hygienic Enclosures?

- High Pressure Washing demands look for IP69/IP69K protection
- Water and aggressive cleaning agents need Type 4X stainless steel corrosion resistance

Easy to Clean

- No safe harbor for bacteria – easily accessible by washer
- Sloped surfaces – drain away water
- Extra smooth #4 Dairy Finish
- Removable gasket – clean/replace
- Blue gasket – easier to spot contaminants

Features



- Extra smooth, #4 dairy finish (304 stainless steel) on all exterior surfaces
- Sloped top to shed liquids
- NEMA interior panel sizes
- Interior hinges not accessible to contaminants*
- Hinges can be easily removed for door modifications*



- Quarter turns feature crevice-free, hygienic design*
- Optional custom "key" for easier opening*



- One piece, food-grade silicone gasket
- Gasket can be removed for cleaning or replacement

*Features of our wallmount hygienic enclosures only

Hygienic Enclosures - Type 4X, IP69K



Wallmount Enclosures



Key Product Features

- Sloped roof prevents water from pooling on top of the enclosure.
- Hygienic quarter turn latching system and door-edge mounted silicone gasket, allow for easy cleaning in hose-down environments.
- Silicone gasket mounts around entire door edge allowing for efficient cleaning in hygienic environments.
- Gasket can be easily removed and re-installed for cleaning or replacement. Additional silicone gaskets can be ordered separately.
- Approvals - cULus Type 4X, IP69, IP69K, NSF/ANSI 169 - Splash Zone

Quick Links: Wallmount Enclosures
www.hamdmfg.com/HY

Visit hammondmfg.com
 for CAD drawings and accessory options!

Wallmount Enclosures

Part No.	Overall Dims				Optional Inner Panel			Replacement
	H1	H2	W	D	Part No.	H	W	Gasket
HYW16168SS	16	19.0	16	8	18P1313	13	13	HYG1616
HYW20168SS	20	23.0	16	8	18P1713	17	13	HYG2016
HYW20208SS	20	23.0	20	8	18P1717	17	17	HYG2020
HYW24208SS	24	27.0	20	8	18P2117	21	17	HYG2420
HYW24248SS	24	27.0	24	8	18P2121	21	21	HYG2424
HYW30248SS	30	33.0	24	8	18P2721	27	21	HYG3024
HYW202010SS	20	24.0	20	10	18P1717	17	17	HYG2020
HYW242010SS	24	28.0	20	10	18P2117	21	17	HYG2420
HYW242410SS	24	28.0	24	10	18P2121	21	21	HYG2424
HYW242012SS	24	28.9	20	12	18P2117	21	17	HYG2420
HYW242412SS	24	28.9	24	12	18P2121	21	21	HYG2424
HYW302412SS	30	34.9	24	12	18P2721	27	21	HYG3024
HYW363012SS	36	40.9	30	12	18P3327	33	27	HYG3630
HYW423612SS	42	46.9	36	12	18P3933	39	33	HYG4236
HYW483612SS	48	52.9	36	12	18P4533	45	33	HYG4836
HYW363016SS	36	42.8	30	16	18P3327	33	27	HYG3630
HYW423616SS	42	48.8	36	16	18P3933	39	33	HYG4236
HYW483616SS	48	54.8	36	16	18P4533	45	33	HYG4836



Junction Box & Pushbutton Enclosures



Key Product Features

- Sloped on 4 sides to prevent water from resting on top regardless of enclosure orientation.
- Hex head design screws and door-edge mounted silicone gasket allow for easy cleaning in hose-down environments.
- Silicone gasket mounts around entire door edge allowing for efficient cleaning in hygienic environments.
- Gasket can be easily removed and re-installed for cleaning or replacement. Additional silicone gaskets can be ordered separately.
- Approvals - cULus Type 4X, IP69, IP69K, NSF/ANSI 169 - Splash Zone

Quick Links:

Junction Box: www.hammfg.com/HYJ

Pushbutton Enclosures: www.hammfg.com/HYPB

Junction Boxes

Part No.	Overall Dims			Optional Inner Panel			Replacement
	H	W	D	Part No.	H	W	Gasket
HYJ854SS	7.94	4.88	4.00	14R0503	4.88	2.88	HYG85
HYJ1074SS	9.94	6.88	4.00	14R0705	6.75	4.88	HYG107
HYJ1294SS	11.94	8.88	4.00	14R0907	8.75	6.88	HYG129
HYJ14116SS	14.15	11.09	6.00	14R1109	10.75	8.88	HYG1411
HYJ16138SS	16.36	13.30	8.00	14R1311	12.75	10.88	HYG1613

Pushbutton Enclosures

22 mm Hole	30 mm Hole	# of Holes	Overall Dims			Replacement
Part No.	Part No.		H	W	D	Gasket
HYMPB1SSR	HYPB1SSR	1	4.98	4.98	4.07	HYG55
HYMPB1SS	HYPB1SS	1	7.94	4.88	4.00	HYG85
HYMPB2SS	HYPB2SS	2	7.94	4.88	4.00	HYG85
HYMPB3SS	HYPB3SS	3	9.94	4.88	4.00	HYG105
HYMPB4VSS	HYPB4VSS	4	11.94	4.88	4.00	HYG125
HYMPB4SS	HYPB4SS	4	9.94	6.88	4.00	HYG107
HYMPB6SS	HYPB6SS	6	11.94	8.88	4.00	HYG129

For any electrical enclosure inquiries & technical support, contact your Hammond Representative!




SCAN FOR MORE INFORMATION ON THE HYGIENIC SERIES

Accessories

Wall Mount Stand-offs

- Can be installed, requires mounting holes to be drilled into rear of enclosure for mounting
- Offered in several lengths: 1", 2", 4" and 6"
- 316L stainless steel construction
- Set of 4



Wash Down Floor Stand Kit

- Attach to bottom enclosure for floor mounting applications
- Permits easy access for cleaning beneath enclosure
- Adds 12" height to enclosure
- Adjustable model has 1" of adjustment – ideal as a leveling foot
- 316L stainless steel construction
- Sold in pairs



Modifications



- Save time by adding cutouts to your exact specifications
- Accessories can be pre-installed.
- Dimensions - Depth can be varied. Due to picture frame gasket design, height and width dimensional changes are not recommended.

USA

Hammond Manufacturing Company Inc.
475 Cayuga Road Cheektowaga, NY 14225
P. (716) 630-7030 | F. (716) 630-7042
sales@hammfg.com

CANADA

Hammond Manufacturing Company Limited
394 Edinburgh Rd North Guelph, ON N1H 1E5
P. (519) 822-2960 | F. (519) 822-0715
sales@hammfg.com

CANADA

Les Fabrications Hammond (Quebec) Inc.
4240 Rue Seré St-Laurent, QC H4T 1A6
P. (514) 343-9010 | F. (514) 343-9941
sales@hammfg.com

UNITED KINGDOM

Hammond Electronics Limited
1 Onslow Close Kingsland Business Park
Basingstoke, Hampshire, RG24 8QL
P. +44 1256 812812 | F. +44 1256 332249
sales@hammond-electronics.co.uk

AUSTRALIA

Hammond Electronics Pty. Limited
11-13 Port Rd Queenstown, SA 5014
P. +61 88240 2244 | F. +61 88240 2255
australia@hammfg.com

ASIA

Hammond Electronics Asia Inc.
10F., No. 81 Sec. 1, Kuang Fu Road
San Chung City, Taipei, 241 Taiwan R.O.C.
P. +886-2-2999-8918 | F. +886-2-2999-8955
asia@hammondmfg.com