



OK SERIES



Your Enclosure Source®

TABLE OF CONTENTS





OKKTB / ROOF AND BASE SET

APPLICATION

The roof and base set determine the width and depth of your enclosure. OKKTB parts in combination with MTK parts makes a complete frame series.


CONSTRUCTION

- Carbon Steel
- Galvanized base frame with gland plates
- Galvanized top frame with powder coated cover
- 16 installation fasteners M8 x 16mm T30 Button Head Screw M8 x 16mm T30 Button Head Screw M8 x 16mm T30 Button Head Screw

FINISH

RAL 7035 light gray, textured powder coat finish

Width x Depth (mm)	Part Number
600 x 400	OKKTB6040
600 x 600	OKKTB6060
600 x 800	OKKTB6080
800 x 400	OKKTB8040
800 x 600	OKKTB8060
800 x 800	OKKTB8080
1000 x 400	OKKTB1040
1000 x 600	OKKTB1060
1000 x 800	OKKTB1080
1200 x 400	OKKTB1240
1200 x 600	OKKTB1260
1200 x 800	OKKTB1280



MTK / VERTICAL FRAME

APPLICATION

Vertical frames determine the height of your enclosure. MTK parts in combination with OKKTB parts makes a complete frame series.


CONSTRUCTION

- Robust vertical structure rail
- Pre-punched holes on interior surfaces
- Uses M6 cage nuts and M5 self-threading screws

FINISH

Galvanized steel

Height (mm)	Part Number
1800	MTK180-4
2000	MTK200-4
2200	MTK220-4



DBE DOOR

APPLICATION

DBE doors are used on the OK series. Part number includes 4 hinges, allowing 120° opening. Doors are interchangeable to swing open left or right. The two-component polyurethane gasket is foamed on an external perimeter with respect to the locking system. DBE doors also include a completely galvanised inner-stiffening frame.

CONSTRUCTION

- Carbon Steel
- Galvanized inner stiffener frame
- Door opens 120°
- Door interchangeable - right or left swing
- Pour-in-place oil & water resistant gasket
- 4-point latching mechanism
- 3mm double bit key entry

FINISH

RAL 7035 light gray, textured powder coat finish

Height x Width (mm)	Part Number
1800 x 600	DBE186
1800 x 800	DBE188
1800 x 1000	DBE18A
1800 x 1200	DBE18C
2000 x 600	DBE206
2000 x 800	DBE208
2000 x 1000	DBE20A
2000 x 1200	DBE20C
2200 x 600	DBE226
2200 x 800	DBE228
2200 x 1000	DBE22A
2200 x 1200	DBE22C



DTE WINDOW DOOR

APPLICATION

DTE doors feature an acrylic window for the OK series. Part number includes 4 hinges, allowing 120° opening. Doors are interchangeable to swing open left or right. The two-component polyurethane gasket is foamed on an external perimeter respect to the locking system. DBE doors include a completely galvanised inner-stiffening frame.


CONSTRUCTION

- Carbon Steel
- Galvanized inner stiffener frame
- Door opens 120°
- Door interchangeable - right or left swing
- Pour-in-place oil & water resistant gasket
- 4-point latching mechanism
- 3mm double bit key entry

FINISH

RAL 7035 light gray, textured powder coat finish

Height x Width (mm)	Part Number
1800 x 600	DTE186
1800 x 800	DTE188
1800 x 1000	DTE18A
2000 x 600	DTE206
2000 x 800	DTE208
2000 x 1000	DTE20A
2200 x 600	DTE226
2200 x 800	DTE228
2200 x 1000	DTE22A



DLK SIDE EXTERIOR PANELS

APPLICATION

DLK side panels are supplied as a pair and include exterior panel mounting clips (CLK013-KIT2F).


CONSTRUCTION

- Carbon Steel
- M6 ground stud top and bottom
- Pour-in-place oil & water resistant gasket
- Exterior Panel Mounting Clips CLK013-KIT2F

FINISH

RAL 7035 light gray, textured powder coat finish

Height x Width (mm)	Part Number
1800 x 400	DLK184
1800 x 600	DLK186
1800 x 800	DLK188
2000 x 400	DLK204
2000 x 600	DLK206
2000 x 800	DLK208
2200 x 400	DLK224
2200 x 600	DLK226
2200 x 800	DLK228



RPE REAR EXTERIOR PANEL

APPLICATION

Rear panels include 8 fast-fixing clips (CLK013)


CONSTRUCTION

- Carbon steel
- 8 fixing points to the frame
- Pour-in-place oil & water resistant gasket
- Exterior panel mounting clips CLK013-KITR

FINISH

RAL 7035 light gray, textured powder coat finish

Height x Width (mm)	Part Number
1800 x 600	RPE186
1800 x 800	RPE188
1800 x 1000	RPE18A
1800 x 1200	RPE18C
2000 x 600	RPE206
2000 x 800	RPE208
2000 x 1000	RPE20A
2000 x 1200	RPE20C
2200 x 600	RPE226
2200 x 800	RPE228
2200 x 1000	RPE22A
2200 x 1200	RPE22C



FPK SIDE DOOR

APPLICATION

Side doors for OK Series enclosures.

CONSTRUCTION

- Carbon steel
- Pour-in-place oil & water resistant gasket
- Part includes set of distance plates for hinges and gaskets and set of 180° hinges

FINISH

RAL 7035 light gray, textured powder coat finish

Height x Width (mm)	Part Number
1800 x 400	FPK184
1800 x 600	FPK186
1800 x 800	FPK188
2000 x 400	FPK204
2000 x 600	FPK206
2000 x 800	FPK208
2200 x 400	FPK224
2200 x 600	FPK226
2200 x 800	FPK228


GLF EYEBOLT

APPLICATION

Eyebolt for OK Series enclosures. Galvanized steel.

Part Number

GLF812-K4




GLP LIFTING LUG BOLT-ON

APPLICATION

Lifting Lug Bolt-On for OK Series. Galvanized steel.

Part Number

GLP830





PNA SUBPLATE

APPLICATION

Subplates for OK Series enclosures.

CONSTRUCTION

- Galvanized steel
- Includes Subpanel Mounting Kit PPK100

FINISH

Galvanized Steel

Height x Width (mm)	Part Number
1600 x 600	PNA186
1800 x 800	PNA188
1800 x 1000	PNA18A
1800 x 1200	PNA18C
2000 x 600	PNA206
2000 x 800	PNA208
2000 x 1000	PNA20A
2000 x 1200	PNA20C
2200 x 600	PNA226
2200 x 800	PNA228
2200 x 1000	PNA22A
2200 x 1200	PNA22C



TTP / ROOF PANEL FILLER PLATE

APPLICATION

The roof panel filler plate is fixed to the joints of the frame in order to cover the gap between the top panels.

CONSTRUCTION

- Carbon Steel

FINISH

RAL 7035 light gray, textured powder coat finish

Width (mm)	Part Number
400	TTP040
600	TTP060
800	TTP080



FUP SUBPANEL FILLER PLATE

APPLICATION

The FUP Subpanel Filler Plate is fixed to PNA mounting plates with a set of screws. The plate filler is supplied with holes for self-threading screws, frequently used for wiring ducts.

CONSTRUCTION

- Galvanized steel
- Includes 6 screws M8x16 and 6 threaded inserts M8

FINISH

Galvanized steel

Width (mm)	Part Number
1800	FUP188
2000	FUP208
2200	FUP228



PFR / DRIP SHIELD

APPLICATION

The PFR Drip Shield is installed atop the front of the enclosure's door for additional protection against rain.


CONSTRUCTION

- Carbon steel
- Includes gasket and fixing screws

FINISH

RAL 7035 light gray, textured powder coat finish

Width (mm)	Part Number
600	PFR060
800	PFR080
1000	PFR100
1200	PFR120



SVNK VERTICAL INNER PARTITION

APPLICATION

The vertical inner partition separates two sections of the same enclosure.

CONSTRUCTION

- Galvanized steel

FINISH

Galvanized steel

Height x Depth (mm)	Part Number
1800 x 400	SVNK184
1800 x 600	SVNK186
1800 x 800	SVNK188
2000 x 400	SVNK204
2000 x 600	SVNK206
2000 x 800	SVNK208
2200 x 600	SVNK226
2200 x 800	SVNK228



SOAK / HORIZONTAL INNER PARTITION

APPLICATION

The horizontal inner partition separates two sections of an enclosure and can be used as horizontal support.


CONSTRUCTION

- Galvanized steel
- Screwed to the frame elements

FINISH

Galvanized steel

Width x Depth (mm)	Part Number
600 x 600	SOAK606
800 x 400	SOAK804
800 x 600	SOAK806
800 x 800	SOAK808
1200 x 800	SOAK128



LIP INNER FOLDING DESK

APPLICATION

The LIP foldable desk is fixed to the door inner-stiffening frame by two corner brackets, and can be adjusted by means of mechanical blocks. It can be folded flush to the door.

CONSTRUCTION

- Galvanized steel
- Includes desk, fixing brackets, desk blocks, and screws

FINISH

Galvanized steel

Width (mm)	Part Number
600	LIP600
800	LIP800

*[LIP-S](#): Two brackets left and right

UTK ENCLOSURE BAYING KIT BRACKETS

APPLICATION

The baying kit bolt pack is a complete set of accessories for joining two enclosure series by their sides and rear sides.

INCLUDES

- 12 screws fl. M8x16 hexagonal head
- 24 screws TT M6x12 torx T30
- 24 cage nuts M6
- 4 reinforcing corner brackets
- 2 inner fixing brackets
- 6 distance-keeper brackets
- 12 sagomated gasket
- 5m gasket

Part Number
UTK700

FINISH

Zinc plated

URR BAYING KIT FOR JOINING TWO BACK TO BACK

APPLICATION

Kit for joining the back-to-back cabinets is a complete set of special accessories that allow maintaining the internal protection (IP) level and stiffening the structures

INCLUDES

- 16 hexagonal head flanged screws
- 24 screws TT M6x12 torx print T30
- 28 cage nuts for external M6
- 4 internal corner brackets
- 2 internal plates for rear fixing
- 8 outer spacer brackets
- 16 shaped gaskets
- 5m perimeter gasket per side

Part Number
URR700

FINISH

Zinc plated

APK HARDWARE KIT, RECESS MOUNTED SUBPANEL

APPLICATION

Kit to install the mounting plate at the rearmost position inside the enclosure, flush to the two rear vertical elements of the frame

INCLUDES

- 2 upper fixing brackets
- 4 washers M8
- 2 screws Torx M8
- 2 nuts M8 DGM900 for external M6
- 2 mounting plate sliders DGM800 M8
- 2 mounting plate sliders
- 2 fixing conic pins M6

Part Number
APK110

FINISH

Zinc plated

PLINTH BASE

APPLICATION

ZAK part numbers determine the width of your enclosure.
FLK part numbers determine the depth of your enclosure.
Together, FLK and ZAK parts make a complete plinth base.

ZAK INCLUDES

- Front and rear plates
- Set of 4 corner pieces
- Screws

FINISH

RAL 7024 graphite gray, textured powder coat finish

ZAK PLINTH FRONT/REAR

	Width (mm)	Part Number
100 mm Height	600	ZAK061
	800	ZAK081
	1000	ZAK0A1
	1200	ZAK0C1
200 mm Height	600	ZAK062
	800	ZAK082
	1000	ZAK0A2
	1200	ZAK0C2

FLK INCLUDES


- Side flanges
- screws

FINISH

RAL 7024 graphite gray, textured powder coat finish

FLK PLINTH SIDES

	Depth (mm)	Part Number
100 mm Height	400	FLK14
	600	FLK16
	800	FLK18
200 mm Height	400	FLK24
	600	FLK26
	800	FLK28



DBI INNER DOOR

APPLICATION

The inner doors used on OK Series enclosures are installed on an inner frame screwed to the elements of the frame. The hinges allow an opening of 110°. The thickness of the door and frame is 2.0 mm.

INCLUDES

- Inner door painted RAL 7035 textured finish
- Fixing frame painted RAL 7035 textured finish
- Hinges for inner door
- Screws and bolts

Height x Width (mm)	Part Number
1800 x 600	DBI186
1800 x 800	DBI188
1800 x 1000	DBI18A
2000 x 600	DBI206
2000 x 800	DBI208
2000 x 1000	DBI20A
2000 x 1200	DBI20C
2200 x 600	DBI226
2200 x 800	DBI228
2200 x 1000	DBI22A
2200 x 1200	DBI22C

TRI SWINGING 19" RACK FRAME

APPLICATION

Swinging 19" rack frame for OK Series

FINISH

Galvanized steel

Height x Width (mm)	Part Number
1800 x 800	TRI188
2000 x 800	TRI208
2200 x 800	TRI228

STR HORIZONTAL RAILS FOR RACK FRAME

APPLICATION

The pair of fixed 19" rack uprights can be mounted on all OK series frames

INCLUDES

- 1 pair of vertical rack uprights 19"
- 4 fixing brackets
- 1 pair of upper and lower fixing rails (for enclosures w>600 mm)
- Fixing screws

FINISH

Galvanized steel

Height x Width (mm)	Part Number
800	STR800-T
1000	STR1000-T
1800	STR180K
2000	STR200K
2200	STR220K

TMK INNER MOUNTING FRAME

APPLICATION

Inner mounting frames consists of 2 vertical uprights and 2 horizontal rails.

FINISH

Galvanized steel

Height x Width (mm)	Part Number
1800 x 600	TMK186
1800 x 800	TMK188
2000 x 600	TMK206
2000 x 800	TMK208
2200 x 600	TMK226
2200 x 800	TMK228

CPK DOUBLE BLIND COVERS

APPLICATION

Screw covers are fixed to the inner modular frame (TMK) by 4 screws. Hinged covers are installed on the modular frame on one side by two hinges and to the other side by two screws. Hinged cover part numbers end with C.

FINISH

RAL 7035 light gray, textured powder coat finish

Height x Width (mm)	Part Number
400 x 600	CPK561
400 x 600	CPK561C
400 x 800	CPK861
400 x 800	CPK861C

CPT TRIPLE BLIND COVERS

APPLICATION

Screw covers are fixed to the inner modular frame (TMK) by 4 screws. Hinged covers are installed on the modular frame on one side by two hinges and to the other side by two screws. Hinged cover part numbers end with C.

FINISH

RAL 7035 light gray, textured powder coat finish

Height x Width (mm)	Part Number
600 x 600	CPT560
600 x 600	CPT560C
600 x 800	CPT860
600 x 800	CPT860C

CPX MODULAR COVERS

APPLICATION

Screw covers are fixed to the inner modular frame (TMK) by 4 screws. Hinged covers are installed on the modular frame on one side by two hinges and to the other side by two screws. Hinged cover part numbers end with C.

FINISH

RAL 7035 light gray, textured powder coat finish

Part Number	Description
CPX5272	Screw Double Blind Cover 67x67 Cutout 200x600mm
CPX5272C	Hinged Cover w/Double 67x67 Cutout 200x600mm
CPX5296	Screw Cover w/Double 92x92 Cutout 200x600mm
CPX5296C	Hinged Cover w/Double 92x92 Cutout 200x600mm
CPX5472	Screw Cover w/Four 67x67 Cutout 200x600mm
CPX5472C	Hinged Cover w/Four 67x67 Cutout 200x600mm
CPX8272	Screw Cover w/Double Cutout 200x800mm
CPX8272C	Hinged Cover w/Double 67x67 Cutout 200x800mm
CPX8296	Screw Cover w/Double 92x92 Cutout 200x800mm
CPX8296C	Hinged Cover w/Double 92x92 Cutout 400x800mm
CPX8472	Screw Cover w/Four 67x67 Cutout 200x800mm
CPX8472C	Hinged Cover w/Four 67x67 Cutout 400x800mm
CPX8496	Screw Cover w/Four 92x92 Cutout 200x800mm
CPX8496C	Hinged Cover w/Four 92x92 Cutout 200x800mm

CPY BLIND COVERS

APPLICATION

Screw covers are fixed to the inner modular frame (TMK) by 4 screws. Hinged covers are installed on the modular frame on one side by two hinges and to the other side by two screws. Hinged cover part numbers end with C.

FINISH

RAL 7035 light gray, textured powder coat finish

Height x Width (mm)	Part Number
200 x 600	CPY560
200 x 600	CPY560C
200 x 800	CPY860
200 x 800	CPY860C

CPZ COVERS WITH 47MM CUTOUT

APPLICATION

Screw covers are fixed to the inner modular frame (TMK) by 4 screws. Hinged covers are installed on the modular frame on one side by two hinges and to the other side by two screws. Hinged cover part numbers end with C.

FINISH

RAL 7035 light gray, textured powder coat finish

Height x Width (mm)	Part Number
200 x 600	CPZ5422
200 x 600	CPZ5422C
200 x 800	CPZ8422
200 x 800	CPZ8422C

PPC COMPENSATION PANELS

APPLICATION

Compensation panels for OK Series enclosures.

FINISH

Galvanized steel

Height x Width (mm)	Part Number
50 x 600	PPC560
50 x 800	PPC860

CPR ADJUSTABLE MODULAR MOUNTING PLATES

APPLICATION

Adjustable mounting plates for OK Series enclosures.

FINISH

Galvanized steel

Height x Width (mm)	Part Number
200 x 600	CPR602
300 x 600	CPR603
400 x 600	CPR604
500 x 600	CPR605
600 x 600	CPR606
200 x 800	CPR802
300 x 600	CPR803
400 x 800	CPR804
500 x 800	CPR805
600 x 800	CPR806

MTK DIN RAIL SUPPORT

APPLICATION

DIN Rail support brackets for OK Series enclosures.

FINISH

Zinc plated

Width (mm)	Part Number
600	MTK600
800	MTK800

CPP DIN RAIL

APPLICATION

DIN Rails for OK Series enclosures.

FINISH

Zinc plated

Width (mm)	Part Number
170	CPP344
270	CPP444
370	CPP544
490	CPP644
690	CPP844

STK FLANGED MOUNTING PROFILE, 1 LINE

APPLICATION

Flanged mounting profile, 1 line

FINISH

Galvanized steel

Height x Width (mm)	Part Number
400 x 45	STK445
600 x 45	STK645
800 x 45	STK845
1000 x 45	STKA45

DTK FLANGED MOUNTING PROFILE, 2 LINES

APPLICATION

Flanged mounting profile, 2 lines

FINISH

Galvanized steel

Height x Width (mm)	Part Number
400 x 100	DTK470
600 x 100	DTK670
800 x 100	DTK870
1000 x 100	DTKA70

TTK FLANGED MOUNTING PROFILE, 3 LINES

APPLICATION

Flanged mounting profile, 3 lines

FINISH

Galvanized steel

Height x Width (mm)	Part Number
400 x 100	TTK410
600 x 100	TTK610
800 x 100	TTK810
1000 x 100	TTKA10

SCK **/CLOSED-END MOUNTING PROFILE, 1 LINE**

APPLICATION

Closed-end mounting profiles, 1 line

FINISH

Galvanized steel

Width (mm)	Part Number
400 x 45	SCK407
600 x 45	SCK607
800 x 45	SCK807
1000 x 45	SCKA07
1200 x 45	SCKC07

DCK **/CLOSED-END MOUNTING PROFILE, 2 LINES**

APPLICATION

Closed-end mounting profile, 2 lines

FINISH

Galvanized steel

Height x Width (mm)	Part Number
400 x 70	DCK407
600 x 70	DCK607
800 x 70	DCK807
1000 x 70	DCKA07
1200 x 70	DCKC07

TCK **/CLOSED-END MOUNTING PROFILE, 3 LINES**

APPLICATION

Closed-end mounting profile, 3 lines

FINISH

Galvanized steel

Height x Width (mm)	Part Number
600 x 100	TCK601
800 x 100	TCK801
1000 x 100	TCKA01
1200 x 100	TCKC01

OK SERIES ACCESSORIES

Part Number	Description
BCK100-M	Door Block Kit
BCO110-M	Door Stop Kit 90 - 120 Degree
BCO170-M	Door Stop Kit
CLK013-KIT2F	Mounting clips M6 Hex Nut (Pkg. 12)
CPS5846	Angular Bracket For SGD Bracket
CSTK70	Folding Desk, 539 x 352mm w/Hardware
LIP-S	Two Brackets L and R Lip Mount -Inner folding Desk
MIC250	Switch - Door Switch
MIC250-S	Door Switch Bracket
PPK100	Subpanel Mounting Hardware Kit
PTR600P	Transformer Support for 600 mm
PTR800P	Transformer Support w/Threaded Inserts 800mm(2Pcs)
SGD060	DIN RAIL Support Bracket 60 mm
SGD150	DIN RAIL Support Bracket 150 mm
SGK060	DIN RAIL Regulation Bracket 60 mm
SGK150	DIN RAIL Regulation Bracket 150 mm
SRR773B	Enclosure Latch Handle, Foldaway

COMPONENTS

Enclosure Size	Primary Enclosure Components						
Height Width Depth (mm)	Frame Upright (MTK)	Roof and Base Set (OKKTB)	Door (DBE)	Window Door (DTE)	Side Exterior Panel (DLK)	Rear Exterior Panel (RPE)	Side Door (FPK)
1800 x 600 x 400	MTK180-4	OKKTB6040	DBE186	DTE186	DLK184	RPE186	FPK184
1800 x 600 x 600	MTK180-4	OKKTB6060	DBE186	DTE186	DLK186	RPE186	FPK186
1800 x 600 x 800	MTK180-4	OKKTB6080	DBE186	DTE186	DLK188	RPE186	FPK188
1800 x 800 x 400	MTK180-4	OKKTB8040	DBE188	DTE188	DLK184	RPE188	FPK184
1800 x 800 x 600	MTK180-4	OKKTB8060	DBE188	DTE188	DLK186	RPE188	FPK186
1800 x 800 x 800	MTK180-4	OKKTB8080	DBE188	DTE188	DLK188	RPE188	FPK188
1800 x 1000 x 400	MTK180-4	OKKTB1040	DBE18A	DTE18A	DLK184	RPE18A	FPK184
1800 x 1000 x 600	MTK180-4	OKKTB1060	DBE18A	DTE18A	DLK186	RPE18A	FPK186
1800 x 1000 x 800	MTK180-4	OKKTB1080	DBE18A	DTE18A	DLK188	RPE18A	FPK188
1800 x 1200 x 400	MTK180-4	OKKTB1240	DBE18C	DTE18C	DLK184	RPE18C	FPK184
1800 x 1200 x 600	MTK180-4	OKKTB1260	DBE18C	DTE18C	DLK186	RPE18C	FPK186
1800 x 1200 x 800	MTK180-4	OKKTB1280	DBE18C	DTE18C	DLK188	RPE18C	FPK188
2000 x 600 x 400	MTK200-4	OKKTB6040	DBE206	DTE206	DLK204	RPE206	FPK204
2000 x 600 x 600	MTK200-4	OKKTB6060	DBE206	DTE206	DLK206	RPE206	FPK206
2000 x 600 x 800	MTK200-4	OKKTB6080	DBE206	DTE206	DLK208	RPE206	FPK208
2000 x 800 x 400	MTK200-4	OKKTB8040	DBE208	DTE208	DLK204	RPE208	FPK204
2000 x 800 x 600	MTK200-4	OKKTB8060	DBE208	DTE208	DLK206	RPE208	FPK206
2000 x 800 x 800	MTK200-4	OKKTB8080	DBE208	DTE208	DLK208	RPE208	FPK208
2000 x 1000 x 400	MTK200-4	OKKTB1040	DBE20A	DTE20A	DLK204	RPE20A	FPK204
2000 x 1000 x 600	MTK200-4	OKKTB1060	DBE20A	DTE20A	DLK206	RPE20A	FPK206
2000 x 1000 x 800	MTK200-4	OKKTB1080	DBE20A	DTE20A	DLK208	RPE20A	FPK208
2000 x 1200 x 400	MTK200-4	OKKTB1240	DBE20C	DTE20C	DLK204	RPE20C	FPK204
2000 x 1200 x 600	MTK200-4	OKKTB1260	DBE20C	DTE20C	DLK206	RPE20C	FPK206
2000 x 1200 x 800	MTK200-4	OKKTB1280	DBE20C	DTE20C	DLK208	RPE20C	FPK208
2200 x 600 x 400	MTK220-4	OKKTB6040	DBE226	DTE226	DLK224	RPE226	FPK224
2200 x 600 x 600	MTK220-4	OKKTB6060	DBE226	DTE226	DLK226	RPE226	FPK226
2200 x 600 x 800	MTK220-4	OKKTB6080	DBE226	DTE226	DLK228	RPE226	FPK228
2200 x 800 x 400	MTK220-4	OKKTB8040	DBE228	DTE228	DLK224	RPE228	FPK224
2200 x 800 x 600	MTK220-4	OKKTB8060	DBE228	DTE228	DLK226	RPE228	FPK226
2200 x 800 x 800	MTK220-4	OKKTB8080	DBE228	DTE228	DLK228	RPE228	FPK228
2200 x 1000 x 400	MTK220-4	OKKTB1040	DBE22A	DTE22A	DLK224	RPE22A	FPK224
2200 x 1000 x 600	MTK220-4	OKKTB1060	DBE22A	DTE22A	DLK226	RPE22A	FPK226
2200 x 1000 x 800	MTK220-4	OKKTB1080	DBE22A	DTE22A	DLK228	RPE22A	FPK228
2200 x 1200 x 400	MTK220-4	OKKTB1240	DBE22C	DTE22C	DLK224	RPE22C	FPK224
2200 x 1200 x 600	MTK220-4	OKKTB1260	DBE22C	DTE22C	DLK226	RPE22C	FPK226
2200 x 1200 x 800	MTK220-4	OKKTB1280	DBE22C	DTE22C	DLK228	RPE22C	FPK228

(GLF) Eyebolt - GLF812-K4
 (GLP) Lifting Lug Bolt-On - GLP830

SUBPLATE GENERAL ACCESSORIES

Enclosure Size	Subplate						
Height Width Depth (mm)	(PNA) Subplate	(TTP) Roof Panel Filler Plate	(FUP) Filler Plate	(PFR) Drip Shied	(SVNK) Vertical Inner Partition	(SOAK) Horizontal Inner Partition	(LIP) Inner folding Desk
1800 x 600 x 400	PNA186	TTP040	FUP188	PFR060	SVNK184	N/A	LIP600
1800 x 600 x 600	PNA186	TTP060	FUP188	PFR060	SVNK186	SOAK606	LIP600
1800 x 600 x 800	PNA186	TTP080	FUP188	PFR060	SVNK188	N/A	LIP600
1800 x 800 x 400	PNA188	TTP040	FUP188	PFR080	SVNK184	SOAK804	LIP800
1800 x 800 x 600	PNA188	TTP060	FUP188	PFR080	SVNK186	SOAK806	LIP800
1800 x 800 x 800	PNA188	TTP080	FUP188	PFR080	SVNK188	SOAK808	LIP800
1800 x 1000 x 400	PNA18A	TTP040	FUP188	PFR100	SVNK184	N/A	N/A
1800 x 1000 x 600	PNA18A	TTP060	FUP188	PFR100	SVNK186	N/A	N/A
1800 x 1000 x 800	PNA18A	TTP080	FUP188	PFR100	SVNK188	N/A	N/A
1800 x 1200 x 400	PNA18C	TTP040	FUP188	PFR120	SVNK184	N/A	N/A
1800 x 1200 x 600	PNA18C	TTP060	FUP188	PFR120	SVNK186	N/A	N/A
1800 x 1200 x 800	PNA18C	TTP080	FUP188	PFR120	SVNK188	N/A	N/A
2000 x 600 x 400	PNA206	TTP040	FUP208	PFR060	SVNK204	N/A	LIP600
2000 x 600 x 600	PNA206	TTP060	FUP208	PFR060	SVNK206	SOAK606	LIP600
2000 x 600 x 800	PNA206	TTP080	FUP208	PFR060	SVNK208	N/A	LIP600
2000 x 800 x 400	PNA208	TTP040	FUP208	PFR080	SVNK204	SOAK804	LIP800
2000 x 800 x 600	PNA208	TTP060	FUP208	PFR080	SVNK206	SOAK806	LIP800
2000 x 800 x 800	PNA208	TTP080	FUP208	PFR080	SVNK208	SOAK808	LIP800
2000 x 1000 x 400	PNA20A	TTP040	FUP208	PFR100	SVNK204	N/A	N/A
2000 x 1000 x 600	PNA20A	TTP060	FUP208	PFR100	SVNK206	N/A	N/A
2000 x 1000 x 800	PNA20A	TTP080	FUP208	PFR100	SVNK208	N/A	N/A
2000 x 1200 x 400	PNA20C	TTP040	FUP208	PFR120	SVNK204	N/A	N/A
2000 x 1200 x 600	PNA20C	TTP060	FUP208	PFR120	SVNK206	N/A	N/A
2000 x 1200 x 800	PNA20C	TTP080	FUP208	PFR120	SVNK208	N/A	N/A
2200 x 600 x 400	PNA226	TTP040	FUP228	PFR060	N/A	N/A	LIP600
2200 x 600 x 600	PNA226	TTP060	FUP228	PFR060	SVNK226	SOAK606	LIP600
2200 x 600 x 800	PNA226	TTP080	FUP228	PFR060	SVNK228	N/A	LIP600
2200 x 800 x 400	PNA228	TTP040	FUP228	PFR080	N/A	SOAK804	LIP800
2200 x 800 x 600	PNA228	TTP060	FUP228	PFR080	SVNK226	SOAK806	LIP800
2200 x 800 x 800	PNA228	TTP080	FUP228	PFR080	SVNK228	SOAK808	LIP800
2200 x 1000 x 400	PNA22A	TTP040	FUP228	PFR100	N/A	N/A	LIP800
2200 x 1000 x 600	PNA22A	TTP060	FUP228	PFR100	SVNK226	N/A	N/A
2200 x 1000 x 800	PNA22A	TTP080	FUP228	PFR100	SVNK228	N/A	N/A
2200 x 1200 x 400	PNA22C	TTP040	FUP228	PFR120	N/A	N/A	N/A
2200 x 1200 x 600	PNA22C	TTP060	FUP228	PFR120	SVNK226	N/A	N/A
2200 x 1200 x 800	PNA22C	TTP080	FUP228	PFR120	SVNK228	N/A	N/A

(UTK) Enclosure Baying Kit Brackets - UTK700
 (URR) Baying Kit for Joining Two Back to Back - UTK700
 (APK) Hardware Kit, Recess Mounted Subpanel - APK110

SWING PLINTH

Enclosure Size	Plinth Two Parts Required			
Height Width Depth (mm)	(FLK) Plinth Side 200 H	(ZAK) Plinth Front Rear 200 H	(FLK) Plinth Side 100 H	(ZAK) Plinth Front Rear 100 H
1800 x 600 x 400	FLK24	ZAK062	FLK14	ZAK061
1800 x 600 x 600	FLK26	ZAK062	FLK16	ZAK061
1800 x 600 x 800	FLK28	ZAK062	FLK18	ZAK061
1800 x 800 x 400	FLK24	ZAK082	FLK14	ZAK081
1800 x 800 x 600	FLK26	ZAK082	FLK16	ZAK081
1800 x 800 x 800	FLK28	ZAK082	FLK18	ZAK081
1800 x 1000 x 400	FLK24	ZAK0A2	FLK14	ZAK0A1
1800 x 1000 x 600	FLK26	ZAK0A2	FLK16	ZAK0A1
1800 x 1000 x 800	FLK28	ZAK0A2	FLK18	ZAK0A1
1800 x 1200 x 400	FLK24	ZAK0C2	FLK14	ZAK0C1
1800 x 1200 x 600	FLK26	ZAK0C2	FLK16	ZAK0C1
1800 x 1200 x 800	FLK28	ZAK0C2	FLK18	ZAK0C1
2000 x 600 x 400	FLK24	ZAK062	FLK14	ZAK061
2000 x 600 x 600	FLK26	ZAK062	FLK16	ZAK061
2000 x 600 x 800	FLK28	ZAK062	FLK18	ZAK061
2000 x 800 x 400	FLK24	ZAK082	FLK14	ZAK081
2000 x 800 x 600	FLK26	ZAK082	FLK16	ZAK081
2000 x 800 x 800	FLK28	ZAK082	FLK18	ZAK081
2000 x 1000 x 400	FLK24	ZAK0A2	FLK14	ZAK0A1
2000 x 1000 x 600	FLK26	ZAK0A2	FLK16	ZAK0A1
2000 x 1000 x 800	FLK28	ZAK0A2	FLK18	ZAK0A1
2000 x 1200 x 400	FLK24	ZAK0C2	FLK14	ZAK0C1
2000 x 1200 x 600	FLK26	ZAK0C2	FLK16	ZAK0C1
2000 x 1200 x 800	FLK28	ZAK0C2	FLK18	ZAK0C1
2200 x 600 x 400	FLK24	ZAK062	FLK14	ZAK061
2200 x 600 x 600	FLK26	ZAK062	FLK16	ZAK061
2200 x 600 x 800	FLK28	ZAK062	FLK18	ZAK061
2200 x 800 x 400	FLK24	ZAK082	FLK14	ZAK081
2200 x 800 x 600	FLK26	ZAK082	FLK16	ZAK081
2200 x 800 x 800	FLK28	ZAK082	FLK18	ZAK081
2200 x 1000 x 400	FLK24	ZAK0A2	FLK14	ZAK0A1
2200 x 1000 x 600	FLK26	ZAK0A2	FLK16	ZAK0A1
2200 x 1000 x 800	FLK28	ZAK0A2	FLK18	ZAK0A1
2200 x 1200 x 400	FLK24	ZAK0C2	FLK14	ZAK0C1
2200 x 1200 x 600	FLK26	ZAK0C2	FLK16	ZAK0C1
2200 x 1200 x 800	FLK28	ZAK0C2	FLK18	ZAK0C1

SWING PANEL AND RACK MOUNT

Enclosure Size	Swing Panel and Rack Mount			
Height Width Depth (mm)	(DBI) Swing Panel Kit Inner Door	(TRI) Swinging 19" Rack Frame	(STR) Fixed Upright 19" Rack	(STR) Horizontal Rails for Rack Frame > 600mm
1800 x 600 x 400	DBI186	N/A	STR180K	N/A
1800 x 600 x 600	DBI186	N/A	STR180K	N/A
1800 x 600 x 800	DBI186	N/A	STR180K	N/A
1800 x 800 x 400	DBI188	TRI188	STR180K	STR800-T
1800 x 800 x 600	DBI188	TRI188	STR180K	STR800-T
1800 x 800 x 800	DBI188	TRI188	STR180K	STR800-T
1800 x 1000 x 400	N/A	N/A	N/A	N/A
1800 x 1000 x 600	N/A	N/A	N/A	N/A
1800 x 1000 x 800	N/A	N/A	N/A	N/A
1800 x 1200 x 400	N/A	N/A	N/A	N/A
1800 x 1200 x 600	N/A	N/A	N/A	N/A
1800 x 1200 x 800	N/A	N/A	N/A	N/A
2000 x 600 x 400	DBI206	N/A	STR200K	N/A
2000 x 600 x 600	DBI206	N/A	STR200K	N/A
2000 x 600 x 800	DBI206	N/A	STR200K	N/A
2000 x 800 x 400	DBI208	TRI208	STR200K	STR800-T
2000 x 800 x 600	DBI208	TRI208	STR200K	STR800-T
2000 x 800 x 800	DBI208	TRI208	STR200K	STR800-T
2000 x 1000 x 400	DBI20A	N/A	N/A	N/A
2000 x 1000 x 600	DBI20A	N/A	N/A	N/A
2000 x 1000 x 800	DBI20A	N/A	N/A	N/A
2000 x 1200 x 400	N/A	N/A	N/A	N/A
2000 x 1200 x 600	N/A	N/A	N/A	N/A
2000 x 1200 x 800	N/A	N/A	N/A	N/A
2200 x 600 x 400	DBI226	N/A	STR220K	N/A
2200 x 600 x 600	DBI226	N/A	STR220K	N/A
2200 x 600 x 800	DBI226	N/A	STR220K	N/A
2200 x 800 x 400	DBI228	TRI228	STR220K	STR800-T
2200 x 800 x 600	DBI228	TRI228	STR220K	STR800-T
2200 x 800 x 800	DBI228	TRI228	STR220K	STR800-T
2200 x 1000 x 400	DBI22A	N/A	N/A	N/A
2200 x 1000 x 600	DBI22A	N/A	N/A	N/A
2200 x 1000 x 800	DBI22A	N/A	N/A	N/A
2200 x 1200 x 400	N/A	N/A	N/A	N/A
2200 x 1200 x 600	N/A	N/A	N/A	N/A
2200 x 1200 x 800	N/A	N/A	N/A	N/A

SWING PANEL AND RACK MOUNT

	1800 x 600	1800 x 800	2000 x 600	2000 x 800	2200 x 600	2200 x 800
(TMK) Inner Modular Frame	TMK186	TMK188	TMK206	TMK208	TMK226	TMK228
(CPK) Hinged Double Blind Cover	CPK561C	CPK861C	CPK561C	CPK861C	CPK561C	CPK861C
(CPK) Screwed Double Blind Cover	CPK561	CPK861	CPK561	CPK861	CPK561	CPK861
(CPT) Hinged Triple Blind Cover	CPT560C	CPT860C	CPT560C	CPT860C	CPT560C	CPT860C
(CPT) Screwed Triple Blind Cover	CPT560	CPT860	CPT560	CPT860	CPT560	CPT860
(CPx) Hinged Cover w/Double 67x67 Cutout	CPx5272C	CPx8272C	CPx5272C	CPx8272C	CPx5272C	CPx8272C
(CPx) Screwed Cover w/Double 67 x 67 Cutout	CPx5272	CPx8272	CPx5272	CPx8272	CPx5272	CPx8272
(CPx) Screwed Cover w/4 67x67 Cutout	CPx5472	CPx8472	CPx5472	CPx8472	CPx5472	CPx8472
(CPx) Hinged Cover w/4 67 x 67 Cutout	CPx5472C	CPx8472C	CPx5472C	CPx8472C	CPx5472C	CPx8472C
(CPx) Screwed Cover w/ Double 92 x 92 Cutout	CPx5296	CPx8296	CPx5296	CPx8296	CPx5296	CPx8296
(CPx) Hinged Cover w/ Double 92 x 92 Cutout	CPx5296C	CPx8296C	CPx5296C	CPx8296C	CPx5296C	CPx8296C
(CPx) Screwed Cover w/Four 92 x 92 Cutout	N/A	CPx8496	N/A	CPx8496	N/A	CPx8496
(CPx) Hinged Cover w/Four 92 x 92 Cutout	N/A	CPx8496C	N/A	CPx8496C	N/A	CPx8496C
(CPT) Screwed Triple Blind Cover	CPT560	CPT860	CPT560	CPT860	CPT560	CPT860
(CPT) Hinged Triple Blind Cover	CPT560C	CPT860C	CPT560C	CPT860C	CPT560C	CPT860C
(CPY) Screwed Blind Cover	CPY560	CPY860	CPY560	CPY860	CPY560	CPY860
(CPY) Hinged Blind Cover	CPY560C	CPY860C	CPY560C	CPY860C	CPY560C	CPY860C
(CPZ) Screwed Cover w/ 47mm Cutout	CPZ5422	CPZ8422	CPZ5422	CPZ8422	CPZ5422	CPZ8422
(CPZ) Hinged Cover w/47mm Cutout	CPZ5422C	CPZ8422C	CPZ5422C	CPZ8422C	CPZ5422C	CPZ8422C
(PPC) Compensation Panel	PPC560	PPC860	PPC560	PPC860	PPC560	PPC860
(CPR) Adjustable Mounting Plate 200mm	CPR602	CPR802	CPR602	CPR802	CPR602	CPR802
(CPR) Adjustable Mounting Plate 300mm	CPR603	CPR803	CPR603	CPR803	CPR603	CPR803
(CPR) Adjustable Mounting Plate 400mm	CPR604	CPR804	CPR604	CPR804	CPR604	CPR804
(CPR) Adjustable Mounting Plate 500mm	CPR605	CPR805	CPR605	CPR805	CPR605	CPR805
(CPR) Adjustable Mounting Plate 600mm	CPR606	CPR806	CPR606	CPR806	CPR606	CPR806

Enclosures widths at 1000 and 1200 are currently NA

MOUNTING PROFILE

Enclosure Size	OK Mounting Profile							
Height Width Depth (mm)	(TCK) Front or Side Mounting Bracket, 3 Lines	(TCK) Side Mounting Bracket, 3 Lines	(TTK) Front or Side Mounting Bracket, 3 Lines	(TTK) Side Mounting Bracket, 3 Lines	(STK) Flanged Mounting Channel Front	(STK) Flanged Mounting Channel Side	(DCK) Front Mounting Profile, 2 Lines 400 x 70 mm	(DCK) Side Mounting Profile, 2 Lines 400 x 70 mm
1800 x 600 x 400	TCK601	N/A	TTK610	TTK410	STK645	STK445	DCK607	DCK407
1800 x 600 x 600	TCK601	TCK601	TTK610	TTK610	STK645	STK645	DCK607	DCK607
1800 x 600 x 800	TCK601	TCK801	TTK610	TTK810	STK645	STK845	DCK607	DCK807
1800 x 800 x 400	TCK801	N/A	TTK810	TTK410	STK845	STK445	DCK807	DCK407
1800 x 800 x 600	TCK801	TCK601	TTK810	TTK610	STK845	STK645	DCK807	DCK607
1800 x 800 x 800	TCK801	TCK801	TTK810	TTK810	STK845	STK845	DCK807	DCK807
1800 x 1000 x 400	TCKA01	N/A	TTKA10	TTK410	STKA45	STK445	DCKA07	DCK407
1800 x 1000 x 600	TCKA01	TCK601	TTKA10	TTK610	STKA45	STK645	DCKA07	DCK607
1800 x 1000 x 800	TCKA01	TCK801	TTKA10	TTK810	STKA45	STK845	DCKA07	DCK807
1800 x 1200 x 400	TCKC01	N/A	N/A	TTK410	N/A	STK445	DCKC07	DCK407
1800 x 1200 x 600	TCKC01	TCK601	N/A	TTK610	N/A	STK645	DCKC07	DCK607
1800 x 1200 x 800	TCKC01	TCK801	N/A	TTK810	N/A	STK845	DCKC07	DCK807
2000 x 600 x 400	TCK601	N/A	TTK610	TTK410	STK645	STK445	DCK607	DCK407
2000 x 600 x 600	TCK601	TCK601	TTK610	TTK610	STK645	STK645	DCK607	DCK607
2000 x 600 x 800	TCK601	TCK801	TTK610	TTK810	STK645	STK845	DCK607	DCK807
2000 x 800 x 400	TCK801	N/A	TTK810	TTK410	STK845	STK445	DCK807	DCK407
2000 x 800 x 600	TCK801	TCK601	TTK810	TTK610	STK845	STK645	DCK807	DCK607
2000 x 800 x 800	TCK801	TCK801	TTK810	TTK810	STK845	STK845	DCK807	DCK807
2000 x 1000 x 400	TCKA01	N/A	TTKA10	TTK410	STKA45	STK445	DCKA07	DCK407
2000 x 1000 x 600	TCKA01	TCK601	TTKA10	TTK610	STKA45	STK645	DCKA07	DCK607
2000 x 1000 x 800	TCKA01	TCK801	TTKA10	TTK810	STKA45	STK845	DCKA07	DCK807
2000 x 1200 x 400	TCKC01	N/A	N/A	TTK410	N/A	STK445	DCKC07	DCK407
2000 x 1200 x 600	TCKC01	TCK601	N/A	TTK610	N/A	STK645	DCKC07	DCK607
2000 x 1200 x 800	TCKC01	TCK801	N/A	TTK810	N/A	STK845	DCKC07	DCK807
2200 x 600 x 400	TCK601	N/A	TTK610	TTK410	STK645	STK445	DCK607	DCK407
2200 x 600 x 600	TCK601	TCK601	TTK610	TTK610	STK645	STK645	DCK607	DCK607
2200 x 600 x 800	TCK601	TCK801	TTK610	TTK810	STK645	STK845	DCK607	DCK807
2200 x 800 x 400	TCK601	N/A	TTK810	TTK410	STK845	STK445	DCK807	DCK407
2200 x 800 x 600	TCK801	TCK601	TTK810	TTK610	STK845	STK645	DCK807	DCK607
2200 x 800 x 800	TCK801	TCK801	TTK810	TTK810	STK845	STK845	DCK807	DCK807
2200 x 1000 x 400	TCKA01	N/A	TTKA10	TTK410	STKA45	STK445	DCKA07	DCK407
2200 x 1000 x 600	TCKA01	TCK601	TTKA10	TTK610	STKA45	STK645	DCKA07	DCK607
2200 x 1000 x 800	TCKA01	TCK801	TTKA10	TTK810	STKA45	STK845	DCKA07	DCK807
2200 x 1200 x 400	TCKC01	N/A	N/A	TTK410	N/A	STK445	DCKC07	DCK407
2200 x 1200 x 600	TCKC01	TCK601	N/A	TTK610	N/A	STK645	DCKC07	DCK607
2200 x 1200 x 800	TCKC01	TCK801	N/A	TTK810	N/A	STK845	DCKC07	DCK807

MOUNTING PROFILE CONTINUED

Enclosure Size	OK Mounting Profile				
Height Width Depth (mm)	(SCK) Closed-End Mounting Channel Front Mounting Profile H = 45 Front	(SCK) Closed-End Mounting Channel Side Mounting Profile H = 445 Side	(STA) Vertical Mounting	(STF) Vertical Mounting	(SQK) Bracket
1800 x 600 x 400	SCK607	SCK407	STA1800	STF1800	SQK380
1800 x 600 x 600	SCK607	SCK807	STA1800	STF1800	SQK380
1800 x 600 x 800	SCK607	SCK807	STA1800	STF1800	SQK380
1800 x 800 x 400	SCK807	SCK407	STA1800	STF1800	SQK380
1800 x 800 x 600	SCK807	SCK607	STA1800	STF1800	SQK380
1800 x 800 x 800	SCK807	SCK807	STA1800	STF1800	SQK380
1800 x 1000 x 400	SCKA07	SCK407	STA1800	STF1800	SQK380
1800 x 1000 x 600	SCKA07	SCK607	STA1800	STF1800	SQK380
1800 x 1000 x 800	SCKA07	SCK607	STA1800	STF1800	SQK380
1800 x 1200 x 400	SCKC07	SCK407	STA1800	STF1800	SQK380
1800 x 1200 x 600	SCKC07	SCK607	STA1800	STF1800	SQK380
1800 x 1200 x 800	SCKC07	SCK807	STA1800	STF1800	SQK380
2000 x 600 x 400	SCK607	SCK407	STA1800	STF1800	SQK380
2000 x 600 x 600	SCK607	SCK607	STA1800	STF1800	SQK380
2000 x 600 x 800	SCK607	SCK807	STA1800	STF1800	SQK380
2000 x 800 x 400	SCK807	SCK407	STA1800	STF1800	SQK380
2000 x 800 x 600	SCK807	SCK607	STA1800	STF1800	SQK380
2000 x 800 x 800	SCK807	SCK807	STA1800	STF1800	SQK380
2000 x 1000 x 400	SCKA07	SCK407	STA1800	STF1800	SQK380
2000 x 1000 x 600	SCKA07	SCK607	STA1800	STF1800	SQK380
2000 x 1000 x 800	SCKA07	SCK807	STA1800	STF1800	SQK380
2000 x 1200 x 400	SCKC07	SCK407	STA1800	STF1800	SQK380
2000 x 1200 x 600	SCKC07	SCK607	STA1800	STF1800	SQK380
2000 x 1200 x 800	SCKC07	SCK807	STA1800	STF1800	SQK380
2200 x 600 x 400	SCK607	SCK407	STA1800	STF1800	SQK380
2200 x 600 x 600	SCK607	SCK607	STA1800	STF1800	SQK380
2200 x 600 x 800	SCK607	SCK807	STA1800	STF1800	SQK380
2200 x 800 x 400	SCK807	SCK407	STA1800	STF1800	SQK380
2200 x 800 x 600	SCK807	SCK607	STA1800	STF1800	SQK380
2200 x 800 x 800	SCK807	SCK807	STA1800	STF1800	SQK380
2200 x 1000 x 400	SCKA07	SCK407	STA1800	STF1800	SQK380
2200 x 1000 x 600	SCKA07	SCK607	STA1800	STF1800	SQK380
2200 x 1000 x 800	SCKA07	SCK807	STA1800	STF1800	SQK380
2200 x 1200 x 400	SCKC07	SCK407	STA1800	STF1800	SQK380
2200 x 1200 x 600	SCKC07	SCK607	STA1800	STF1800	SQK380
2200 x 1200 x 800	SCKC07	SCK807	STA1800	STF1800	SQK380

MOUNTING PROFILE CONTINUED

Enclosure Size	OK Mounting Profile						
Height Width Depth (mm)	(MTK) DIN RAIL Support L 600mm	(MTK) DIN RAIL Support L 800mm	(CPP) DIN RAIL 170mm	(CPP) DIN RAIL 270	(CPP) DIN RAIL 370mm	(CPP) DIN RAIL 490mm	(CPP) DIN RAIL 690mm
1800 x 600 x 400	MTK600	MTK600	CPP344	CPP444	CPP544	CPP644	N/A
1800 x 600 x 600	MTK600	MTK600	CPP344	CPP444	CPP544	CPP644	N/A
1800 x 600 x 800	MTK600	MTK600	CPP344	CPP444	CPP544	CPP644	N/A
1800 x 800 x 400	MTK800	MTK800	CPP344	CPP444	CPP544	CPP644	MTK800
1800 x 800 x 600	MTK800	MTK800	CPP344	CPP444	CPP544	CPP644	MTK800
1800 x 800 x 800	MTK800	MTK800	CPP344	CPP444	CPP544	CPP644	MTK800
1800 x 1000 x 400	N/A	N/A	N/A	N/A	N/A	N/A	N/A
1800 x 1000 x 600	N/A	N/A	N/A	N/A	N/A	N/A	N/A
1800 x 1000 x 800	N/A	N/A	N/A	N/A	N/A	N/A	N/A
1800 x 1200 x 400	N/A	N/A	N/A	N/A	N/A	N/A	N/A
1800 x 1200 x 600	N/A	N/A	N/A	N/A	N/A	N/A	N/A
1800 x 1200 x 800	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2000 x 600 x 400	MTK600	MTK600	CPP344	CPP444	CPP544	CPP644	N/A
2000 x 600 x 600	MTK600	MTK600	CPP344	CPP444	CPP544	CPP644	N/A
2000 x 600 x 800	MTK800	MTK600	CPP344	CPP444	CPP544	CPP644	N/A
2000 x 800 x 400	MTK800	MTK800	CPP344	CPP444	CPP544	CPP644	MTK800
2000 x 800 x 600	MTK800	MTK800	CPP344	CPP444	CPP544	CPP644	MTK800
2000 x 800 x 800	MTK800	MTK800	CPP344	CPP444	CPP544	CPP644	MTK800
2000 x 1000 x 400	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2000 x 1000 x 600	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2000 x 1000 x 800	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2000 x 1200 x 400	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2000 x 1200 x 600	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2000 x 1200 x 800	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2200 x 600 x 400	MTK600	MTK600	CPP344	CPP444	CPP544	CPP644	N/A
2200 x 600 x 600	MTK600	MTK600	CPP344	CPP444	CPP544	CPP644	N/A
2200 x 600 x 800	MTK600	MTK600	CPP344	CPP444	CPP544	CPP644	N/A
2200 x 800 x 400	MTK800	MTK800	CPP344	CPP444	CPP544	CPP644	MTK800
2200 x 800 x 600	MTK800	MTK800	CPP344	CPP444	CPP544	CPP644	MTK800
2200 x 800 x 800	MTK800	MTK800	CPP344	CPP444	CPP544	CPP644	MTK800
2200 x 1000 x 400	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2200 x 1000 x 600	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2200 x 1000 x 800	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2200 x 1200 x 400	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2200 x 1200 x 600	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2200 x 1200 x 800	N/A	N/A	N/A	N/A	N/A	N/A	N/A

ACCESSORIES & HARDWARE

Part Number	Description
BCK100-M	Door Block Kit
BCO110-M	Door Stop Kit 90 - 120 Degree
BCO170-M	Door Stop Kit
CAP180C	Hinge Kit 180 Degree
CAP180E	Hinge Kit 180 Degree
CAP180I	Inner Door Kit 180 Degree
CLK013-KIT2F	Mounting clips M6 Hex Nut (Pkg. 12)
CPS5846	Angular Bracket For SGD Bracket
CRN200	Two Rack Hinges 180° Opening
CRN200DC	Rack Hinge 180° opening Central Mounting
CSTK70	Folding Desk, 539 x 352mm w/Hardware
DTKA75	Inner Mounting 70 x 1000 mm
LIP-S	Two Brackets L and R Lip Mount -Inner folding Desk
MIC250	Switch - Door Switch
MIC250-S	Door Switch Bracket
PPK100	Subpanel Mounting Hardware Kit
PTR600P	Transformer Support for 600 mm
PTR681	Rolling Screw For Transformer Support (4Pcs)
PTR800P	Transformer Support w/Threaded Inserts 800mm(2Pcs)
SGD060	DIN RAIL Support Bracket 60 mm
SGD150	DIN RAIL Support Bracket 150 mm
SGK060	DIN RAIL Regulation Bracket 60 mm
SGK150	DIN RAIL Regulation Bracket 150 mm
SRR773B	Enclosure Latch Handle, Foldaway

OK SERIES FASTENERS

Part Number	Description
DDM600	Flanged Nut M6 (100 PCS)
DDM800	Flanged Nut M8 (100 PCS)
DGM600	Cage Nut M6 (Pkg. 100)
DGM800	Cage Nut M8. (Pkg. 100)
DGM901	Outdoor Cage Nut M6 (Pkg. 100)
VBC612	M6 Torx head, T30 (KIT 100 PCS)
VBC614	Screw, M6 Torx head (Pkg. 100)
VBC616	Screw, M6 T30 Torx head (Pkg. 100)
VTC122	Screw, M12 Allen flat head (Pkg. 100)
VTD600	M6x8 Hex Screw w/ Flange Nut M6 (Pkg. 100)
VTD616	M6x16 Hex Screw w/ Flange Nut M6 (Pkg. 100)
VTD800	M8x16 Hex Screw w/ Flange Nut M8 (Pkg. 100)
VTM900	M6x14 Cross Head Screw (Pkg. 100)
VTM902	M6x14 Torx Head Screw (Pkg. 100)
VTM903	M8x16 Torx Head Screw (Pkg. 100)
VTM912	M6x50 Screw for Plinth (Pkg. 1)
VTR500	M5x12 Countersunk Bolt (Pkg. 100)
VTR506	Inner Door Special Screw (Pkg. 100)
VTR510	M5x8 Shelf Swing Screw (Pkg. 100)
VTR600	M6x8 Hex Flanged Screw (Pkg. 100)
VTR610	M6x12 Hex Countersunk Screw (Pkg. 100)
VTR616	Flanged Screw, M6 hex head (Pkg. 100)
VTR800	M8x16 Hex Flanged Screw (Pkg. 100)
VTS616	Screw, M6 pan head (Pkg. 100)